

BROAN ERV70
Part no. ERV70T (TOP PORTS)
Part no. ERV70S (SIDE PORTS)
35 to 70 CFM (0.4 in. w.g.)



#### THE ERV70: ENERGY RECOVERY IN A SMALL PACKAGE!

The ERV70 is the ideal choice for condominiums, apartments and other limited space applications that require up to 70 cfm of continuous ventilation. With its compact size and 4-inch vertical or horizontal ports, it can be installed in small spaces such as a closet or mechanical room above a hot water tank.

The ERV70 has just one blower (patent pending) and is therefore quieter than any other similar ERV on the market. ERV technology is a great choice for summer ventilation with air conditioning in humid climates, and for dry homes in colder climates. Read more about ERV and HRV technology at www.broan.com.

- At just 34 lb. (15.2 kg), it can be installed without opening the unit
- Features pressure taps, balancing dampers, integrated hooks and port straps to simplify installation
- · Removable terminal block for quicker wall control connections

#### **REPAIRS AND MAINTENANCE**

All parts of the ERV70 that could need maintenance can be removed in less than five minutes, allowing direct access for easy repairs. The PSC motor is permanently lubricated.

#### **WARRANTY**

The ERV70 is protected by a 5-year warranty on parts only. The energy recovery core is covered by a 5-year warranty, with the original proof of purchase.

Available at:			

# **ENERGY RECOVERY VENTILATOR**

#### **Controls**

- This unit is very simple to operate. Once it is installed, press on its push button, located on the unit top left side, to select high speed, low speed or to stop it (the blower is off but will turn on in response to a wall control signal). The LED (located under the push button) will then show on which mode the unit is in.
- For more convenience, this unit can also be controlled by an optional main control. For a complete list of optional main and auxiliary controls available, refer to the *Wall Control Compatibility Chart* on last pages of wall controls specification sheet, available at www.broan.com.
- For more details about controls, refer to the *Main and auxiliary wall* controls user guide, also available at www.broan.com.

## **Options**

- · Complete line of registers and diffusers
- Exclusive wall mounting bracket no. VACCWMK

## **Defrosting System**

The ERV70 uses a unique recirculation defrost method, which maintains balanced air pressure in the home. If there is a call for ventilation from an auxiliary wall control during the defrost cycle, the defrost is put "on hold" while air is exchanged, ensuring that no humid air is recirculated.

Outdoor T	EMPERATURE	DEFROST CYCLE MIN./
°C	°F	OPERATING MIN.
WARMER THAN -5	WARMER THAN 23	No defrost
-5 то -27	23 то -17	7/22
-27 AND LESS	-17 AND LESS	7/15

## **Energy Recovery Core**

Dimensions: 10" x 10" x 5.5" (25.4 cm x 25.4 cm x 14 cm)

Exchange surface: 42.3 ft.2 (3.9 m2)

Weight: 8 lb. (3.6 kg) Material: Polymerized paper


Type: Cross flow Warranty: 5 years

### Requirements and standards

- Complies with the UL 1812 requirements regulating the installation of Energy Recovery Ventilators
- Complies with the CSA C22.2 no. 113 Standard applicable to ventilators
- Complies with CSA F326 requirements regulating the installation of Energy Recovery Ventilators
- Technical data was obtained from published results of tests relating to CSA C439 Standards
- · HVI certified

# **DIMENSIONS: ERV70S (SIDE PORTS)**

- 1: Fresh air to building port
- 2: EXHAUST AIR
  FROM BUILDING PORT



NOTE: ALL UNITS PORTS WERE CREATED TO BE CONNECTED TO DUCTS HAVING A MINIMUM OF 4" DIAMETER, BUT IF NEED BE, THEY CAN BE CONNECTED TO BIGGER SIZED DUCTS BY USING AN APPROPRIATE TRANSITION (E.G.: 4" DIAMETER TO 5" DIAMETER TRANSITION).

### VENTILATION PERFORMANCE

Ехт	ERNAL	NET SUPPLY AIR FLOW					Gross	AIR FLO	N	
STATIC	Pressure	Supply Air Flow Supply Exhaust			r					
Pa	IN. W.G.	L/S	CFM	м <sup>3</sup> /н	L/S	CFM	м <sup>3</sup> /н	L/S	CFM	м³/н
25	0.1	39	82	139	39	84	143	39	83	141
50	0.2	37	78	133	38	80	136	37	79	134
75	0.3	35	75	127	36	77	131	35	75	127
100	0.4	33	70	119	34	72	122	34	71	121
125	0.5	32	67	114	33	69	117	32	67	114
150	0.6	29	62	105	30	64	109	29	61	104
175	0.7	28	59	100	28	60	102	27	57	97
200	0.8	26	55	93	26	56	95	24	52	88


# **E**NERGY **P**ERFORMANCE

	PPLY RATURE	NE	t <b>A</b> ir I	FLOW	Power CONSUMED	SENSIBLE RECOVERY	ADJUSTED SENSIBLE RECOVERY	APPARENT SENSIBLE	LATENT RECOVERY/ MOISTURE
°C	°F	L/s	CFM	м³/н	WATTS	EFFICIENCY	EFFICIENCY	EFFECTIVENESS*	TRANSFER
НЕА	TING								
0	32	17	36	60	34	66	74	77	0.59
0	32	30	64	109	50	60	65	69	0.54
-25	-13	17	36	61	43	56	60	75	0.55
Coo	LING						L RECOVERY		OTAL RECOVERY
35	95	17	36	61	34		50		55


\*Data not certified by HVI.

NOTE: All specifications are subject to change without notice.

# **ERV70T** (TOP PORTS)



- 1: Fresh air to building port
- 2: EXHAUST AIR FROM BUILDING PORT
- 3: Fresh air from outdoor port
- 4: EXHAUST AIR TO OUTDOOR PORT



NOTE: ALL UNITS PORTS WERE CREATED TO BE CONNECTED TO DUCTS HAVING A MINIMUM OF 4" DIAMETER, BUT IF NEED BE, THEY CAN BE CONNECTED TO BIGGER SIZED DUCTS BY USING AN APPROPRIATE TRANSITION (E.G.: 4" DIAMETER TO 5" DIAMETER TRANSITION).

## **S**PECIFICATIONS

- Model: ERV70
- Part Number Top Ports: ERV70T
- Part Number Side Ports: ERV70S
- Total Assembled Weight (including polymerized paper core): 34 lb. (15.2 kg)
- · Round 4" ports
- Core Filters: 2 washable foam filters, 30 ppi
   9.2" x 5.75" x 0.38"
   (23.4 cm x 16.6 cm x 1 cm)
- Housing: Pre-painted steel
- Insulation: Expanded polystyrene

 Mounting: Suspension by chains and spring or optional wall bracket

- Supply and Exhaust Blower Motor: 1 motor
- Protection type: Thermally protected
- Insulation class: B

- Speed Control on Unit:
- Low speed and high speed
- Other modes available with optional wall controls
- Energy Recovery Core:
  - Heat Exchange Surface Area: 42.3 ft.<sup>2</sup> (3.9 m<sup>2</sup>)
  - Type: Crossflow
- Material: Polymerized paper
- Unit Electrical Characteristics:

Volts Frequency Ampere Watts 120 60 Hz 0.5 60

Project:		REMARKS
Location:		
Part no.:		
Qty.:		
Submitted by:	Date:	



